WIND.

The prevailing winds for July, 1897, viz, those that were recorded most frequently, are shown in Table I for the regular Weather Bureau stations.

The resultant winds, as deduced from the personal observations made at 8 a. m. and 8 p. m., are given in Table VIII. These latter resultants are also shown graphically on Chart IV, where the small figure attached to each arrow shows the number of hours that this resultant prevailed, on the assumption that each of the morning and evening observations represents one hour's duration of a uniform wind of average velocity. These figures indicate the relative extent to which winds from different directions counterbalanced each other.

Maximum wind velocities are given in Table I, which also gives the altitudes of the Weather Bureau anemometers above the ground. Maxima of 50 miles or more per hour were reported during this month at regular stations of the Weather Bureau as follows (maximum velocities are averages for five minutes; extreme velocities are gusts of shorter duration, and are not given in this table):

Stations.	Date.	Velocity.	Direction.	Stations.	Date.	Velocity.	Direction.
Amarillo, Tex Chicago, Ill Des Moines, Iowa El Paso, Tex Do Do Do	20 5 23 15 20 23 26	MUes 52 72 50 50 52 60 56	w. w. nw. ne. ne. sw.	Fort Canby, Wash Idaho Falls, Idaho Miles City, Mont New York, N. Y Shreveport, La Sloux City, Iowa Woods Hole, Mass	22 23 17 2	Miles 7 50 51 54 56 57 52	8. 8W. W. 11W. 8. W.

SUNSHINE AND CLOUDINESS.

The quantity of sunshine, and therefore of heat, received by the atmosphere as a whole is very nearly constant from year to year, but the proportion received by the surface of the earth depends upon the absorption by the atmosphere, and varies largely with the distribution of cloudiness. The sunshine is now recorded automatically at 22 regular stations of the Weather Bureau by its photographic, and at 40 by its thermal effects; at one of these stations records are kept by both methods. The photographic record sheets show the apparent solar time, but the thermometric records show seventyfifth meridian time; for convenience the results are all given in Table X for each hour of local mean time. In order to complete the record of the duration of cloudiness these registers are supplemented by special personal observations of the state of the sky near the sun in the hours after sunrise and before sunset, and the cloudiness for these hours has been added as a correction to the instrumental records, whence there results a complete record of the duration of sunshine from sunrise to sunset.

The average cloudiness of the whole sky is determined by numerous personal observations at all stations during the daytime, and is given in the column "average cloudiness" in Table I; its complement, or percentage of clear sky, is given in the last column of Table X for the 61 stations at which instrumental self-registers are maintained.

COMPARISON OF DURATIONS AND AREAS.

The sunshine registers give the durations of effective sunshine whence the durations relative to possible sunshine are derived; the observers' personal estimates give the percentage of area of clear sky. These numbers have no necessary relation to each other, since stationary banks of clouds may obscure the sun without covering the sky, but when all clouds have a steady motion past the sun and are uniformly scattered over the sky, the percentages of duration and of area agree closely. For the sake of comparison, these percentages have been

brought together, side by side, in the following table, from which it appears that, in general, the instrumental records of percentages of durations of sunshine are almost always larger than the observers' personal estimates of percentages of area of clear sky; the average excess for July, 1897, is 11 per cent for photographic and 13 per cent for thermometric records.

The details are shown in the accompanying table, in which the stations are arranged according to the total possible duration of sunshine, and not according to the observed duration.

Difference between instrumental and personal observations of sunshine.

			For whole month.		Instrumental record of sunshine.			
Stations.	Latitude.	Apparatus.	Total possible.	Personal.	Photographic.	Difference.	Thermometric.	Difference.
Key West, Fla lampa, Fla lalyeston, Tex New Orleans, La lavannah, Ga lokasburg, Miss lan Diego, Cal lharleston, S. C. lhonix, Ariz ttlanta, Ga los Angeles, Cal Wilmington, N. C. little Rock, Ark lhattanooga, Tenn lanta Fe, N. Mex taleigh, N. C. lashtile, Tenn lanta Fe, N. Mex taleigh, N. C. lodge City, Kans lan Francisco, Cal louisville, Ky tt. Louis, Mo Vashington, D. C. lansas City, Mo lantinore, Md litlantic City, N. J leaner, Md litlantic City, N. J leaner, Colo mainapolis, Ind hiladelphia, Pa loumbus, Ohio larrisburg, Pa lew York, N. Y leveland, Ohio les Moines, Iowa little, Pa littsburg, Pa lew York, N. Y leveland, Ohio les Moines, Iowa little, Pa little, Mich loston, Mass lubany, N. Y laho Falls, Idaho oortland, Me oorthfield, Vt lastpark, N. Dak lestile, Wash lokane, Wash lismarck, N. Dak lestile, Wash lokane, Wash	。	THATATATATATTATTATTATTATTAATTTAAATTTTTAAAA	119.1 4 44.5 4 44.1 3 3 44.5 4 45.1 2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	★4324488855128648885518648686565658888448586568888485888848548548558856568888485688884856888848568888848568888848568888848568888848568888848568888848568888848568888848588888485888884858888848588888485888884858888848588888485888884858888848588888485888884858888848588888485888884858888848588888485888884858888848588888488588888485888884858888848588888485888884858888848588888485888884858888848588888485888884858888848588888485888884858888848588888488588888485888884885888884885888884888884888888	\$88 70 75 87 75 65 84 82 68 67 70 70 83 84 44 47 63 66 66 66 66 68 68 78	+13 +13 +142 +15 +16 +17 +17 +18 +17 +18 +17 +18 +17 +18 +17 +18 +17 +18 +17 +18 +17 +18 +17 +18 +17 +18 +19 +19 +19 +19 +19 +19 +19 +19 +19 +19	\$677 555 466 855 828 828 828 828 828 828 828 828 828	+1 +1 +2 +1 +2 +1 +2 +1 +1 +1 +1 +1 +1 +1 +1 +1 +1 +1 +1 +1

ATMOSPHERIC ELECTRICITY.

Numerical statistics relative to auroras and thunderstorms are given in Table IX, which shows the number of stations from which meteorological reports were received, and the number of such stations reporting thunderstorms (T) and auroras (A) in each State and on each day of the month, respectively.

Thunderstorms.—The dates on which the number of reports